

### **AMENDMENTS TO THE CLAIMS**

The following listing of claims replaces all prior versions of claims in the application.

1. (Original): An adhesive-type optical film comprising:  
  
an optical film; and  
  
an adhesive layer laminated on at least one side of the optical film,  
  
wherein at least a portion of an edge of the adhesive layer is an inside edge that is located on the inside of an edge line of the optical film.
2. (Original): An adhesive-type optical film according to claim 1, which further comprising at least one layer selected from a release film, an optical layer, a second optical film and a second adhesive layer.
3. (Original): An adhesive-type optical film according to claim 1, wherein a portion of the inside edge in cross section extends to the vicinity of the edge line of the optical film.
4. (Original): An adhesive-type optical film according to claim 3, wherein the inside edge has a concave edge.
5. (Original): An adhesive-type optical film according to claim 3, wherein the inside edge has a convex edge.
6. (Original): An adhesive-type optical film according to claim 1, wherein the inside edge is formed on at least one-half of the total perimeter of the adhesive layer.
7. (Original): An adhesive-type optical film according to claim 1, wherein the inside edge is formed on the whole of the edge line of the adhesive layer
8. (Original): An adhesive-type optical film according to claim 1, wherein a distance between the inside edge and the edge line of the optical film is from 10 to 300  $\mu\text{m}$ .

9. (Original): A image display device comprising the adhesive-type optical film according to claim 1.

10. (Original): A method for producing an adhesive-type optical film comprising:  
forming an adhesive layer on an optical film;  
applying a pressure to the adhesive layer from both sides thereof to extrude part of the adhesive layer from an edge of a side surface of the optical film;  
shaving or cutting a side surface of the adhesive layer; and  
releasing the pressure to the adhesive layer.

11. (Original): A method for producing an adhesive-type optical film according to claim 10,  
wherein the adhesive layer comprises an adhesive having an storage modulus at 25°C determined from a dynamic viscoelasticity is from  $1.0 \times 10^4$  to  $1.0 \times 10^7$  Pa.

12. (Original): A method for producing an adhesive-type optical film according to claim 10,  
wherein the step of releasing the pressure on the adhesive layer comprises pulling the adhesive layer outward in a thickness direction of the adhesive layer.

13. (Original): A method for producing an adhesive-type optical film according to claim 10,  
wherein the optical film is shaved or cut together with the adhesive layer in the step of shaving or cutting a side face of the adhesive layer.

14. (New): An adhesive-type optical film according to claim 1, wherein the inside edge has a concave edge.

15. (New): An adhesive-type optical film according to claim 1, wherein the inside edge has a convex edge.

16. (New): A method for producing an adhesive-type optical film comprising:  
sandwiching an adhesive layer between optical films; and  
pulling the adhesive layer outward in a thickness direction of the adhesive layer.